OUR PRODUCTS RANGE

DEXOMA® ACRYLIC LAMINATES

DEXOMA® THERMO CORE

DEXOMA® LOUVERS

DEXOMA® CORNER MOULDINGS

DEXOMA® LAMINATES

DEXOMA® EXOTIC VEENERS



DEXO BOND
SPECIAL ADHESIVE
800 GM & 4 KGS

DEXOMA® SOFFIT PANELS

FOLLOW US ON

SCAN QR CODE FOR E CATALOGUE

DEXOMA® ACRYLIC LAMINATES

RAFTO

GERMAN TECHNOLOGY

MADE IN KOREA

DEXOMA® ACRYLIC LAMINATES



ANTI SCRATCH

Innovative surfaces and contemporary finishes for inspired living. Design that speaks the language of simplicity and sophistication.

PREMIUM COLLECTION

GOLD FOIL



RAISE UV

DEXOMA®
ACRYLIC LAMINATES



PREMIUM COLLECTION

COVER PAGE DREP OFF

celebrating art



DEXOMA®
ACRYLIC LAMINATES

OUR STORY

WELCOME TO DEXOMA, YOUR PREMIER SOURCE FOR HIGH-QUALITY DESIGNER PRODUCTS FOR VARIOUS APPLICATIONS. WITH YEARS OF EXPERIENCE IN THE INDUSTRY, WE TAKE PRIDE IN DELIVERING TOP-NOTCH SOLUTIONS TO MEET THE NEEDS OF OUR CUSTOMERS.

OUR VISION

OUR VISION IS TO BECOME A LEADING PROVIDER OF INNOVATIVE AND DURABLE INTERIOR CLADDING SOLUTIONS, TRANSFORMING SPACES WITH OUR WIDE RANGE OF PRODUCTS. WE STRIVE TO EXCEED CUSTOMER EXPECTATIONS BY OFFERING EXCEPTIONAL SERVICE AND UNMATCHED PRODUCT QUALITY.

QUALITY AND SUSTAINABILITY

AT DEXOMA, QUALITY AND SUSTAINABILITY ARE AT THE CORE OF EVERYTHING WE DO. OUR PRODUCTS UNDERGO RIGOROUS TESTING TO ENSURE THEY MEET INDUSTRY STANDARDS AND PROVIDE LASTING PERFORMANCE.

CUSTOMER SATISFACTION

WE BELIEVE IN BUILDING LASTING RELATIONSHIPS WITH OUR CUSTOMERS. OUR TEAM OF KNOWLEDGEABLE PROFESSIONALS IS ALWAYS READY TO ASSIST YOU WITH PRODUCT SELECTION, INSTALLATION GUIDANCE, AND ANY OTHER INQUIRIES YOU MAY HAVE. YOUR SATISFACTION IS OUR TOP PRIORITY.



ANTI YELLOW SGS

6H ANTI-SCRATCH SGS

DEXOMA® ACRYLIC LAMINATES

SGS

Test Report No.: CANEC25007644001 Date: Apr 10, 2025 Page 1 of 7

Client Name: GUANGDONG HANTAI DECORATION MATERIAL CO., LTD

Client Address: NO.6, HENGLIANG RD, HECHENG, GAOMING, FOSHAN, GUANGDONG, CHINA.

Sample Name: Acrylic sheet

Model No.: HT8266-6H

The above sample(s) and information were provided by the client.

SGS Job No.: GZP25-009389

Sample Receiving Date: Apr 09, 2025

Testing Period: Apr 09, 2025 ~ Apr 10, 2025

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Test Requirement	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	Pass

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Dongyu Xie
Approved Signatory

Scan to view this report

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exempt parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州南沙经济技术开发区环市大道南路1号 邮编: 511363 f (86-20) 82155555 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

SGS

TEST REPORT

No. : GZIN2012071883PS
Date : Dec 28, 2020
Page: 1 of 4

CUSTOMER NAME: GUANGDONG HANTAI DECORATION MATERIAL CO., LTD

ADDRESS: NO.6, HENGLIANG RD, HECHENG, GAOMING, FOSHAN, GUANGDONG, CHINA.

Sample Name : ACRYLIC SHEET

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

****

Date of Receipt : Dec 16, 2020

Testing Start Date : Dec 16, 2020

Testing End Date : Dec 22, 2020

Test result(s) : For further details, please refer to the following page(s) (Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical Services Co., Ltd. GZ Branch Testing Center

Quincey lee
Authorized signatory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exempt parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州南沙经济技术开发区环市大道南路1号 邮编: 511363 f (86-20) 82155555 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

SGS

TEST REPORT

No. : GZIN2012071883PS
Date : Dec 28, 2020
Page: 1 of 4

CUSTOMER NAME: GUANGDONG HANTAI DECORATION MATERIAL CO., LTD

ADDRESS: NO.6, HENGLIANG RD, HECHENG, GAOMING, FOSHAN, GUANGDONG, CHINA.

Sample Name : ACRYLIC SHEET

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Dec 16, 2020

Testing Start Date : Dec 16, 2020

Testing End Date : Dec 22, 2020

Test result(s) : For further details, please refer to the following page(s) (Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical Services Co., Ltd. GZ Branch Testing Center

Quincey lee
Authorized signatory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exempt parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 www.sgsgroup.com.cn
中国·广东·广州南沙经济技术开发区环市大道南路1号 邮编: 511363 f (86-20) 82155555 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

HANTAI 翰泰 ®

GUANGDONG HANTAI DECORATION MATERIAL CO.,LTD.

PMMA/PVC decorative sheet Technical Data sheet （TDS)

一、Product Description

HANTAI 翰泰 ® PMMA/ PVC decorative sheet is made of PMMA sheet and PVC raw material film from top domestic-foreign manufacturers, is processed and manufactured through careful high resolution printing, coating and lamination processes. It is mainly divided into high gloss anti scratch resistant and soft touch series. The thickness, width, length, etc. of the series are shown in Table 1 below..

Table 1

Series	High glossy	Soft touch
Thickness(mm)	0.8-5.0	0.8-2.0
Width (mm)	1220	1220
Length（mm）	2440	2440

二、Physical and chemical properties of products

HANTAI 翰泰 ® The basic physical and chemical properties of PMMA/PVC decorative sheet are shown in Table 2

Add: NO. 6, Hengliang Road, Hecheng, Gaoming District, Foshan City, Guangdong Province, P.R.C.
Phone：0757-88219880 **Fax:**0757-88219889

CERTIFICATE

CERTIFICATE



KALANKARI SERIES

Digital acrylic print with rich, layered brushstrokes and bold color contrasts.High-texture finish that mimics thick paint, creating a dynamic, expressive look.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 6001 ✪✪✪✪✪

Scan **QR Code**
For Full Sheet View



DE - 6002 ✪✪✪✪✪

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>

KALANKARI SERIES

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



Modern digital acrylic print featuring smooth gradients blended with textured strokes. Vibrant tones and subtle light effects for a striking, gallery-style aesthetic.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC



DE - 6005 ✪✪✪✪✪

Scan **QR Code**
For Full Sheet View



DE - 6003 ✪✪✪✪✪

Scan **QR Code**
For Full Sheet View



DE - 6004 ✪✪✪✪✪

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Wooden Series

Wooden acrylic artwork with natural wood grain visible beneath glossy acrylic layers. Rich textures, warm tones, and a polished, handcrafted aesthetic.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | 4h ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 5216 ✪✪✪

BUBINGA

Scan **QR Code** For Full Sheet View



DE - 5213 ✪✪✪

TANGO WOOD

Scan **QR Code** For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Wooden Series

Acrylic design poured over a smooth wooden surface, creating a blend of fluid color and organic grain. High-gloss finish with subtle depth and natural warmth.

100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | 4h ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 5210 ✪✪✪

DARK WOOD

Scan **QR Code**
For Full Sheet View



DE - 5211 ✪✪✪

PENINSULAR TEAK

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>

Wooden Series



Acrylic streaks and marbled patterns layered on carved wood. Warm, earthy undertones paired with a contemporary artistic shine.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 5214 ✪✪✪ ROYALE BURL

Scan **QR Code** For Full Sheet View



DE - 5212 ✪✪✪ EUCALYPTUS

Scan **QR Code** For Full Sheet View



DE - 5219 ✪✪✪ STONEWASHED

Scan **QR Code** For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Marble Series

Marble acrylic artwork with swirling veins and glossy, fluid textures. Soft color blending that mimics natural stone with a modern artistic finish.

100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH



EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 5215 ✪✪✪

TRAVERTINE BIANCO

Scan **QR Code** For Full Sheet View



DE - 5223 A ✪✪✪

SATVARIO

Scan **QR Code** For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



Marble Series

Acrylic pour resembling polished marble, featuring smooth gradients and intricate vein lines. High-shine surface with elegant, flowing movement.

100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 5228 ✪✪✪

GOLDEN SPIDER

Scan **QR Code**
For Full Sheet View



DE - 5220 ✪✪✪

VENATTNO

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.

Marble Series

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



Marble-inspired acrylic piece with layered pigments creating depth and shimmer. Luxurious stone patterns fused with contemporary abstract style.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC



DE - 5224 ✪✪✪

MARBLE

Scan **QR Code**
For Full Sheet View



DE - 5227 ✪✪✪

CARRARA

Scan **QR Code**
For Full Sheet View



DE - 5221 ✪✪✪

WHITE PEARL

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Bold tones crafted with clarity and finesse.
Perfect for modern interiors that demand purity.

Solid & Sparkle Series

100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5111 WHITE LILY	DE - 5179 FROSTY WHITE	DE - 5112 IVORY
85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5114 ✪ SPARKLING WHITE	DE - 5115 ✪ GALAXY MIST	DE - 5165 ✪ GLITTER WHITE

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



A radiant surface infused with shimmering particles.
Bring brilliance and glamour to every design.

SPARKLE SERIES

100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM

DE - 5114 ✪ SPARKLING WHITE

85MM X 115MM

DE - 5115 ✪ GALAXY MIST

85MM X 115MM

DE - 5165 ✪ GLITTER WHITE

85MM X 115MM

DE - 5168 ✪ SHINY BEIGE

85MM X 115MM

DE - 5124 ✪ SPARKLING SILVER

85MM X 115MM

DE - 5118 ✪ SHINY ROCK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>

Sparkle Series



Light-catching sparkles create a vibrant glow.
Perfect for luxury décor, signage and highlights.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM

DE - 5104 ✪ SPARKLING PASTEL MINT

85MM X 115MM

DE - 5167 ✪ CEDAR

85MM X 115MM

DE - 5169 ✪ SHINY LATTE

85MM X 115MM

DE - 5137 ✪ LABATROSS

85MM X 115MM

DE - 5172 ✪ SAPPHIRE BLUE

85MM X 115MM

DE - 5181 ✪ GOLDEN GLITTER

85MM X 115MM

DE - 5120 ✪ SCATTER GREY

85MM X 115MM

DE - 5161 ✪ GRIZZLE GRAY

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Strong, clean and flawlessly smooth.
Made to bring clarity and elegance to any space.

Solid Series

100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | 4h ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5111 WHITE LILY	DE - 5179 FROSTY WHITE	DE - 5112 IVORY
85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5113 BUTTER MILK	DE - 5117 CHAMPAGNE	DE - 5133 DESERT SAND

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Rich colours with unmatched durability.
Perfect for bold and timeless décor.

Solid Series

100% Original Pure Acrylic

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM	DE - 5187 DOVE	85MM X 115MM	DE - 5183 ABALONE	85MM X 115MM	DE - 5188 BEIGE
85MM X 115MM	DE - 5131 CAPPUCCINO	85MM X 115MM	DE - 5135 SOFT COFFEE	85MM X 115MM	DE - 5134 SYRUP

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Solid tones crafted with precision.
Delivering a premium finish in every detail.

Solid Series

100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM	DE - 5185 LAVA	85MM X 115MM	DE - 5184 HARBON GREY	85MM X 115MM	DE - 5173 BASALT GREY
85MM X 115MM	DE - 5182 DARK GREY	85MM X 115MM	DE - 5125 AUTUMN LEAF	85MM X 115MM	DE - 5119 COBBLE STONE

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



A smooth surface with true colour depth.
Ideal for modern interiors and signature displays.

Solid Series

100% Original Pure Acrylic

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5121 ALMOND PINK	DE - 5141 LAVENDER	DE - 5164 TAUPE
85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5198 AHEN	DE - 5163 CINNAMON	DE - 5160 BLACK CURRENT

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>