

Solid Series

Uniform tones with pristine clarity.
For premium branding and décor concepts.

100% Original Pure Acrylic

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5159 MINT	DE - 5138 SEA GREEN	DE - 5157 OLIVE
85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5174 PASTEL MINT	DE - 5148 EMERALD GREEN	DE - 5107 BOTTLE GRTEEN

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Reliable quality in every panel.
Enhancing spaces with simplicity and style.

Solid Series

100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM	DE - 5195	DUCK PLUME	85MM X 115MM	DE - 5156	ADRIATIC BLUE
85MM X 115MM	DE - 5106	DARK GREEN	85MM X 115MM	DE - 5162	WINTER SEA
85MM X 115MM	DE - 5155	AQUA BLUE	85MM X 115MM	DE - 5190	BLUE DANUBE

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>

Solid Series

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



Solid acrylic built to perfection.
Perfect for neat, minimalistic designs.

100% ORIGINAL PURE ACRYLIC

85MM X 115MM	DE - 5158	LEMONADE	85MM X 115MM	DE - 5140	SKY BLUE	85MM X 115MM	DE - 5194	YALE BLUE	85MM X 115MM	DE - 5191	TROOPER
85MM X 115MM	DE - 5147	DIVINE YELLOW	85MM X 115MM	DE - 5186	ALMOND	85MM X 115MM	DE - 5144	BLOOM GREY	85MM X 115MM	DE - 5151	BLACK

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



A rich metallic sheen with smooth depth.
Perfect for premium décor and bold accents.

Metallic Series

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM	DE - 5177 ✪✪ SHAMPION IVORY	85MM X 115MM	DE - 5193 ✪✪ WINE	85MM X 115MM	DE - 5180 ✪✪ SHINY GRIS
85MM X 115MM	DE - 5122 ✪✪ SHINY LAVA	85MM X 115MM	DE - 5170 ✪✪ SEA SHEEL	85MM X 115MM	DE - 5123 ✪✪ CARBON SLATE

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Strong, durable acrylic infused with metallic glow.
Ideal for high-impact interiors and branding.

Metallic Series

100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

85MM X 115MM		85MM X 115MM		85MM X 115MM	
DE - 5152 ✪✪	METALLIC BEIGE	DE - 5105 ✪✪	MORPH	DE - 5166 ✪✪	METALLIC MUD
85MM X 115MM		85MM X 115MM		85MM X 115MM	
DE - 5192 ✪✪	METALLIC ROSE GOLD	DE - 5129 ✪✪	BEAVER BROWN	DE - 5143 ✪✪	FLAMINGO PINK

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



A refined shimmer that elevates every surface.
Crafted for modern luxury spaces.

Metallic Series

100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5176 ✪✪ METALLIC OLIVE	DE - 5171 ✪✪ THUNDER BLUE	DE - 5150 ✪✪ METALLIC MINT
85MM X 115MM	85MM X 115MM	85MM X 115MM
DE - 5178 ✪✪ METALLIC LEMON GRASS	DE - 5146 ✪✪ ENIGMA	DE - 5142 ✪✪ NOIR CURRENT

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Metallic Series

Strong, durable acrylic infused with metallic glow.
Ideal for high-impact interiors and branding.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | 6h ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

85MM X 115MM

DE - 5175 ✪✪ BABY BLUE

85MM X 115MM

DE - 5196 ✪✪ IMPERIAL BLUE

85MM X 115MM

DE - 5154 ✪✪ DARK CARBON SLATE

85MM X 115MM

DE - 5145 ✪✪ SHANGRILA

Signature Interiors

Personalized design with timeless flair.
Where creativity meets craftsmanship.



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



ULP SERIES

Precision-cut edges with a radiant metal look.
Perfect for signage, décor and statement pieces.

100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | 6h ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

5 INCH X 8 INCH

DE - ULP 001

Scan **QR Code** For Full Sheet View

5 INCH X 8 INCH

DE - ULP 002

Scan **QR Code** For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



ULP SERIES

Natural textures with a smooth, refined finish.
Perfect for earthy, modern décor concepts.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES

5 INCH X 8 INCH

DE - ULP 004

Scan **QR Code** For Full Sheet View

5 INCH X 8 INCH

DE - ULP 005

Scan **QR Code** For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



ULP SERIES

Natural grain patterns with a smooth, modern finish.
Perfect for warm and elegant interior accents.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | 4h ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - ULP 003

Scan **QR Code**
For Full Sheet View



DE - ULP 009

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.



Smooth acrylic infused with realistic stone detail.
Perfect for luxurious and bold interior themes.

ULP SERIES

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH



EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - ULP 010

Scan **QR Code**
For Full Sheet View



DE - ULP 011

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>

ULP Series

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH



EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



Authentic stone effect without the weight.
Ideal for décor panels, signage, and premium finishes.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC



DE - ULP 006

Scan **QR Code**
For Full Sheet View



DE - ULP 007

Scan **QR Code**
For Full Sheet View



DE - ULP 008

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



High-gloss, car-finish brilliance in every sheet.
Perfect for bold, modern and premium displays.

AUTOMETALLIC SERIES

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 5412 ✪✪✪✪

Scan **QR Code**
For Full Sheet View



DE - 5410 ✪✪✪✪

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Premium metallic tones crafted for modern appeal. Enhances any space with a refined, sporty glow.

Autometallic Series

100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | 6h ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 5407 ✪✪✪✪

Scan **QR Code**
For Full Sheet View



DE - 5409 ✪✪✪✪

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



Auto-metallic sparkle with a polished finish.
Perfect for décor that demands attention.

AUTOMETALLIC SERIES

100% ORIGINAL PURE ACRYLIC

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 5403 ✪✪✪✪

Scan **QR Code**
For Full Sheet View



DE - 5404 ✪✪✪✪

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>



A mirror-smooth metallic surface with dynamic shine. Perfect for premium branding and statement designs.

AUTOMETALLIC SERIES

100% ORIGINAL PURE ACRYLIC

KRAFTO

VERTICAL APPLICATION | WATER & STAIN PROOF | ANTI FINGER | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



DE - 5401 ✪✪✪✪

Scan **QR Code**
For Full Sheet View



DE - 5406 ✪✪✪✪

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>

AUTOMETALLIC SERIES

KRAFTO

LIGHT WEIGHT | 1.5 MM THICKNESS | TERMITE & BORER FREE | ANTI SCRATCH

EDGE BAND AVAILABLE
Size 25mm X 1.3mm 25 Meter

DEXOMA® ACRYLIC LAMINATES



A sleek automotive glow with smooth depth.
Ideal for signage, décor and high-performance looks.

ORIGINAL PURE ACRYLIC 100% ORIGINAL PURE ACRYLIC



DE - 5402 ✪✪✪✪

Scan **QR Code**
For Full Sheet View



DE - 5408 ✪✪✪✪

Scan **QR Code**
For Full Sheet View



DE - 5405 ✪✪✪✪

Scan **QR Code**
For Full Sheet View

Sheet Size : 1220mm x 2440mm (4ft x 8 ft)

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure. >>>

Reasons for Air Bubble Formations on Acrylic Sheets



To prevent delamination or the formation of air bubbles between plywood and acrylic laminate, the following precautions must be followed:

- Ensure that bonding is not carried out in high-humidity conditions.
- Maintain a clean, even, and moisture-free plywood surface before application.
- Apply adhesive uniformly to avoid trapped air pockets.
- Maintain consistent and adequate pressure during pasting.

Panel Structure



8H Antiscratch Coating

Acrylic Layer

Glue Line

PVC Based Film Layer

Primer Coating



DEXO BOND
SPECIAL ADHESIVE
800 GM & 4 KGS

Limited Warranty

Dexoma Acrylic Products are manufactured under stringent quality standards. Each sheet is tested to be reasonably free from defects.

When used, installed, and fabricated correctly, the product will comply with applicable manufacturing specifications within accepted tolerances.

We recommend customers inspect products thoroughly before installation.

Warranty becomes void under improper installation, mishandling, or deviation from guidelines.

Disclaimer

To ensure optimal performance, please follow these instructions:

- Do not use plywood with high moisture content or uneven surfaces.
- Avoid inferior-quality adhesives.
- Apply sufficient and even pressure during pasting.
- Avoid sticking acrylic sheets on printed, branded, or uneven plywood surfaces.

Do's & Don'ts

1. Store the laminates below 30°C temperature. To avoid the inside cracks & stretch line, do not store acrylic sheet in roll form.
2. Clean the surface of laminate with water and clean, non-abrasive cloth. We recommend cleaning with COLIN glass cleaner and soft Micro fibre cloth.
3. Glossy surfaces recommended to use in vertical applications.
4. Do not use alcohol based cleaners, solvent, petrol or oil as these may damage the surface of the laminate. Do not use cloth other than micro fibre.
5. Do not use thinner on the surface of DEXOMA ACRYLIC laminates.
6. Do not place hot cookware directly on the laminate as the exposure to temperatures above 30°C may cause damage to the laminate surface.
7. Outdoor application of the laminate with exposure to direct sunlight and weather conditions are strictly not recommended. UV rays may de-shape the laminate.

Krafto

DEXOMA® ACRYLIC LAMINATES

Available in Size 2440mm X 1220mm (8ft X 4ft) Thickness : same as sample used in brochure

KITCHEN | FURNITURE | BATHROOM | COMMERCIAL | HEALTHCARE | RESTAURANTS

Acrylic are bonded in extremely humid conditions

Debonding in certain areas because of uneven substrate surface

Use of water base Resin adhesive or any other PEVA (Polyethylene Vinyl Acetate Co-polymer)

Insufficient or lack of pressing during the bonding period of laminate

When substrate loses moisture after installation

Use of extremely large acrylic / PVC laminate sheets (more than 8 ft x 4 ft long)

PARAMETERS	DEXOMA ACRYLIC LAMINATE	HIGH GLOSS LAMINATE MICA	PU COATING / DUCO PAINT	BACK PAINTED GLASS
Gloss Level	>90	>70	>85	>85
Scratch Proof	8H Antiscratch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	Yes
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes

ECO FRIENDLY | LOW CARBON EMISSIONS

There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.